

SECTION 900 - ADVERTISEMENT

WASHINGTON COUNTY, MISSISSIPPI

Project No. CRSA-0616-00(004)/109114-701000

The Washington County Board of Supervisors, Washington County, Mississippi, will receive bids for the bridge replacement and approaches along Winterville-Priscilla Road for a total project length of 0.057 mile, Project No. CRSA-0616-00(004)/109114-701000 no later than 11:00 a.m., Local Time, January 30, 2026 at the Washington County Courthouse, Chancery Clerk's Office located at 900 Washington Avenue, Greenville, Mississippi. All bids so received will be publicly opened and read aloud.

The work shall consist essentially of the following items:

Removal and reconstruction of a precast concrete bridge along with improvements to the approach roadway.

The above general outline of features of the work does not in any way limit the responsibility of the contractor to perform all work and furnish all plant, labor, equipment and materials required by the specifications and the drawings referred to therein.

The attention of bidders is directed to the Contract Provisions governing selection and employment of labor. Minimum wage rates for Federal-Aid projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581 Work Hours Act of 1962, as set forth in the Contract Provisions.

The Washington County Board of Supervisors hereby notifies all Bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged and women's business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

The contract Documents are on file and may be examined at the following locations:

1. Washington County Courthouse, Office of the Chancery Clerk 900 Washington Avenue, Greenville, MS 38701
2. Hooker Engineering Services, Inc., 1000 Washington Avenue, Greenville, MS 38701

Each bid shall be accompanied by a Cashier's check, Certified Check on a solvent bank or a Bidder's Bond issued by a Surety Company licensed to operate in the State of Mississippi, in the amount of five percent (5%) of the total bid price, payable to the Washington County Board of Supervisors as bid security. Bidders shall also submit a current financial statement, if requested by the County. The successful bidder will be required to furnish a Performance Bond and a Payment bond each in the amount of one hundred percent (100%) of the contract amount.

The proposal and contract documents in its entirety shall be submitted in a sealed envelope and deposited with the Washington County Chancery Clerk, 900 Washington Avenue, Greenville, Mississippi 38701 prior to the hour and date above designated.

Printed copies of the Bidding Documents may be obtained from Hooker Engineering Services, Inc., 1000 Washington Avenue, Greenville, MS 38701, 662-334-1865, by paying a non-refundable deposit of \$125.00 for each set. Cost does not include shipping charges. Upon receipt of payment, printed Bidding Documents will be sent via the prospective Bidder's delivery service. The shipping charge amount will depend on the shipping method chosen.

For this project bids will also be received and accepted via the online electronic bid service through QuestCDN.com. Bidding documents can be downloaded under QuestCDN Project #10001881 at www.questcdn.com for a non-refundable charge of \$42.00. Contact QuestCDN.com at 956-233-1632 or

SECTION 900 - ADVERTISEMENT

WASHINGTON COUNTY, MISSISSIPPI

Project No. CRSA-0616-00(004)/109114-701000

info@questcdn.com for assistance in free membership, viewing or downloading this digital project information. Online bidding will not be available until three (3) days prior to bid date.

Work to be performed shall be in accordance with the "Mississippi Standard Specifications for State Aid Road and Bridge Construction, 2004", together with all amendments and/or special provisions and/or addenda to the standards duly approved and adopted, unless otherwise noted in these specifications.

The attention of Bidders is directed to the provisions of Subsection S-102.07 pertaining to irregular proposals and rejection of bids.

PUBLISH: December 31, 2025 and January 7, 2026.

SECTION 902 PROPOSAL (Bid Sheet No. 2-1)

PROJECT NUMBER: CRSA-0616-00(004)/109114-701000

COUNTY: WASHINGTON

PROJECT DESCRIPTION: Bridge replacement and approaches

I (We) agree to complete the entire project within 120 Working Days.

***** SPECIAL NOTICE TO BIDDERS *****

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.

BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATE LOCATED AT THE END OF THE BID SHEETS IS SIGNED

| BID SCHEDULE | | | | | | |
|----------------------|---------------------|----------------------|-------------|----------------------------------------------------------------|-------------------|-------------------|
| LINE NO. | PAY ITEM NO. | PLAN QUANTITY | UNIT | DESCRIPTION | UNIT PRICE | ITEM TOTAL |
| ROADWAY ITEMS | | | | | | |
| 10 | S-200-A | 1 | LS | MOBILIZATION | XXXXXXXXXX | |
| 20 | S-201-A | 1 | LS | CLEARING AND GRUBBING | XXXXXXXXXX | |
| 30 | S-202-B | 1 | Unit | REMOVAL OF PRECAST BRIDGE (14+97)(3@19' x 25' WIDE) | XXXXXXXXXX | |
| 40 | S-202-D | 510 | SY | REMOVAL OF PAVEMENT | | |
| 50 | S-202-E | 35 | LF | REMOVAL OF PIPE (ALL SIZES) | | |
| 60 | S-203-A | 10 | CY | UNCLASSIFIED EXCAVATION (FM) | | |
| 70 | S-203-E1 | 300 | CY | BORROW EXCAVATION (FME) (CONTRACTOR FURNISHED)(CLASS 9) | | |
| 80 | S-203-F | 260 | CY | CHANNEL EXCAVATION (FM) | | |
| 90 | S-304-D | 500 | Ton | CRUSHED STONE 825 B | | |
| 100 | S-403-A | 75 | Ton | HOT MIX ASPHALT, ST, 12.5 mm | | |
| 110 | S-403-A | 110 | Ton | HOT MIX ASPHALT, ST, 19 mm | | |
| 120 | S-603-M-A | 40 | LF | 48" POLYMERIC COATED CORR. METAL PIPE, 14 GAGE, 3" CORRUGATION | | |
| 130 | S-606-B | 37.5 | LF | GUARD RAIL, "W" BEAM, COMPLETE-IN-PLACE | | |
| 140 | S-606-C | 6.25 | LF | GUARD RAIL, CABLE ANCHOR, TYPE 1 | | |
| 150 | S-606-D | 4 | EA | GUARD RAIL, BRIDGE END SECTION, TYPE "G", "W" BEAM | | |
| 160 | S-606-E | 3 | EA | GUARD RAIL, TERMINAL END SECTIONS | | |

SECTION 902 PROPOSAL (Bid Sheet No. 2-2)

PROJECT NUMBER: CRSA-0616-00(004)/109114-701000

COUNTY: WASHINGTON

PROJECT DESCRIPTION: Bridge replacement and approaches

| | | | | | | |
|---------------------------------------|-------------|-------|-----|------------------------------------------------------------------|------------|--|
| 170 | S-617-A | 4 | EA | RIGHT OF WAY MARKERS (TYPE II) | | |
| 180 | S-618-A | 1 | LS | MAINTENANCE OF TRAFFIC | XXXXXXXXXX | |
| 190 | S-618-B | 0 | SF | ADDITIONAL CONSTRUCTION SIGNS | | |
| 200 | S-621-C | 0.114 | MI | 4" WIDE THERMOPLASTICE EDGE STRIPE (CONTINUOUS WHITE)(60 MIL) | | |
| 210 | S-621-E-A | 600 | LF | 4" WIDE THERMOPLASTIC TRAFFIC STRIPE (CONTINUOUS YELLOW)(90 MIL) | | |
| 220 | S-630-C | 4 | EA | REFLECTORIZED TRAFFIC OBJECT MARKER (ENCAPSULATED LENS)(TYPE 3) | | |
| Subtotal Roadway Items | | | | | | |
| | | | | | | |
| EROSION CONTROL ITEMS | | | | | | |
| 230 | 901-S-212-A | 1.10 | Ton | AGRICULTURAL LIMESTONE | | |
| 240 | S-212-B | 0.55 | Ton | COMMERCIAL FERTILIZER (13:13:13) | | |
| 250 | S-214-A | 0.55 | AC | SEEDING | | |
| 260 | S-215-A | 1.6 | Ton | VEGETATIVE MATERIALS FOR MULCH | | |
| 270 | S-233-A | 635 | LF | TEMPORARY SILT FENCE (TYPE II) (AOS 0.15 - 0.84) | | |
| 280 | 237-A | 300 | LF | WATTLES, 20" | | |
| 290 | S-815-B | 262 | SY | GROUTED RIPRAP | | |
| 300 | S-815-E | 262 | SY | GEOTEXTILE UNDER RIPRAP, TYPE V, NON-WOVEN, AOS<0.43 | | |
| Subtotal Erosion Control Items | | | | | | |
| | | | | | | |

SECTION 902 PROPOSAL (Bid Sheet No. 2-3)

PROJECT NUMBER: CRSA-0616-00(004)/109114-701000

COUNTY: WASHINGTON

PROJECT DESCRIPTION: Bridge replacement and approaches

| BRIDGE ITEMS | | | | | | |
|-----------------------|---------|-------|-----|-------------------------------------------------------------------|--|--|
| 310 | S-803-A | 2 | EA | TEST PILE | | |
| 320 | S-803-B | 1 | EA | CONVENTIONAL STATIC PILE LOAD TEST | | |
| 330 | S-803-C | 940 | LF | 18" PRESTRESSED CONCRETE PILING | | |
| 340 | S-803-F | 200 | LF | 22" PRE-FORMED PILE HOLE | | |
| 350 | S-804-A | 60 | CY | BRIDGE CONCRETE, CLASS A | | |
| 360 | S-805-A | 10100 | LB | REINFORCING STEEL | | |
| 370 | S-806-D | 8 | EA | 19' PRECAST CONCRETE SLAB UNIT, 3.5' INTERIOR, 30° SKEW, LT. FWD. | | |
| 380 | S-806-D | 4 | EA | 19' PRECAST CONCRETE SLAB UNIT, 4.5' INTERIOR, 30° SKEW, LT. FWD. | | |
| 390 | S-806-D | 4 | EA | 31' PRECAST CONCRETE SLAB UNIT, 3.5' INTERIOR, 30° SKEW, LT. FWD. | | |
| 400 | S-806-D | 2 | EA | 31' PRECAST CONCRETE SLAB UNIT, 4.5' INTERIOR, 30° SKEW, LT. FWD. | | |
| 410 | S-806-F | 4 | EA | 19' PRECAST CONCRETE SLAB UNIT, 3.5' EXTERIOR, 30° SKEW, LT. FWD. | | |
| 420 | S-806-F | 2 | EA | 31' PRECAST CONCRETE SLAB UNIT, 3.5' EXTERIOR, 30° SKEW, LT. FWD. | | |
| 430 | S-806-G | 138 | LF | PRECAST CONCRETE BARRIER RAIL | | |
| 440 | S-815-A | 175 | Ton | LOOSE RIPRAP, 300 LB | | |
| 450 | S-815-E | 350 | SY | GEOTEXTILE UNDER RIPRAP, TYPE V, NON-WOVEN, AOS<0.43 | | |
| Subtotal Bridge Items | | | | | | |
| | | | | | | |
| TOTAL | | | | | | |