

NOTICE TO BIDDERS

CONSTRUCTION NOTICE OF INTENT Project No. ERBR-55(02) Pearl River County, MS The Board of Supervisors of Pearl River County, MS are planning a Bridge Replacement Project on 0.027 miles of Troy Dedeaux Road over Poplar Springs Branch in District Three. This project is funded by a special fund created by the Mississippi Legislature known as the Emergency Road and Bridge Repair Fund. Bids will be opened in public and read aloud on Tuesday, August 18, 2020 on or after 10:00 a.m., CST in the County Administrator's Office, 207 West Pearl Street in Poplarville, MS. Plans and Specifications are on file in the office of the Pearl River County Chancery Clerk, Poplarville, Mississippi. Plans and proposals may be secured upon payment of \$100.00, which is not refundable, from the office of Dungan Engineering, P.A., 925 Goodyear Blvd., Picayune, MS 39466 or official bid documents can be downloaded from Central Bidding at www.centralbidding.com. For any questions relating to the electronic bidding process, please call 225-810-4814. Project information is also available on the website of the Mississippi Office of State Aid Road Construction under the "Bid Calendars" tab. Electronic bids can be submitted at www.centralbidding.com. Project details and documents may also be viewed and / or obtained on the website of the Engineer of Record, H. Les Dungan, III, P.E. of Dungan Engineering P.A. located at dunganeng.com. The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that minority business enterprises will be afforded full opportunity to submit bids and will not be discriminated against on the grounds of race, color, or national origin in consideration of the award. Sandy Kane Smith, President Pearl River County Board of Supervisors.

**EMERGENCY ROAD AND BRIDGE REPAIR PROJECT FOR
THE PEARL RIVER COUNTY BOARD OF SUPERVISORS
PROJECT NO. ERBR-55(02)
TROY DEDEAUX ROAD
PEARL RIVER COUNTY, MISSISSIPPI**

For the construction of: Bridge Replacement Project on 0.027 miles of Troy Dedeaux Road over Poplar Springs Branch in Pearl River County, Mississippi, also known as Project No. ERBR-55(02).

Pay Item No.	Pay Item	Plan Quantity	Unit
Roadway Items			
S-200-A	Mobilization	L.S.	L.S.
S-201-A	Clearing and Grubbing	L.S.	L.S.
S-202-B	Removal of Bridge at Station 10+52.69	1	Unit
S-203-A	Unclassified Excavation (FM)	100	Cu. Yd.
S-203-E1	Borrow Excavation (F.M.E.) (Contractor Furnished) (Class 7)	125	Cu. Yd.
S-203-F	Channel Excavation (FM)	200	Cu. Yd.
S-304-A	Granular Material (LVM), (Class 6, Group C)	275	Cu. Yd.
S-304-D	Crushed Stone Size 610	200	Ton
S-403-A	Hot Mix Asphalt, ST 9.5 mm	27	Ton
S-403-A	Hot Mix Asphalt, ST 19 mm	68	Ton
S-607-A	Roadway Construction Surveying	L.S.	L.S.
607-D	Barbed Wire Fence, 5 Strand	200	Lin. Ft.
S-617-A	Right-of-Way Markers (Type I)	4	Each
S-618-A	Maintenance of Traffic	L.S.	L.S.
S-618-B	Additional Construction Signs	0	Sq. Ft.
S-621-C	4" Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)	0.057	Mile
S-621-E-1	4" Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils)	300	Lin. Ft.
S-627-L	Two-Way Yellow Reflective High Performance Raised Markers	6	Each
S-630-C	Reflectorized Traffic Object Marker (Encapsulated Lens) (Type 3)	4	Each
Erosion Control Items			
901-S-212-A	Agricultural Limestone	0.4	Ton
S-212-B	Commercial Fertilizer (13-13-13)	0.2	Ton
S-212-F	Ammonium Nitrate	0.02	Ton
S-214-A	Seeding	0.2	Acre
S-215-A	Vegetative Materials for Mulch	0.6	Ton
S-226-A	Solid Sodding	200	Sq. Yd.
S-233-A	Temporary Silt Fence (Type II) (AOS 0.15-0.84)	450	Lin. Ft.
237-A	Wattles, 20"	80	Lin. Ft.
S-631-B	Concrete Grout	12	Cu. Yds.
S-815-A	Loose Riprap, 200 Lb.	350	Ton
S-815-E	Geotextile under Riprap Non-Woven, Type V, AOS < 0.43	700	Sq. Yd.
Bridge Items			
S-803-A	Test Pile	2	Each
S-803-B	Conventional Static Pile Load Test	0	Each
S-803-C	14" Prestressed Concrete Piling	730	Lin. Ft.
S-806-A	19' Precast Concrete Slab Unit, 3'-6" Interior	12	Each
S-806-A	19' Precast Concrete Slab Unit, 4'-6" Interior	3	Each

S-806-B	19' Precast Concrete Slab Unit, Curb	6	Each
S-806-H	Beam Type Railing with Concrete Posts	114	Lin. Ft.
S-806-I	26.5' Precast Concrete Cap, Intermediate Unit, Concrete Pile	2	Each
S-806-J	26.5' Precast Concrete Cap, End Unit, Concrete Pile	2	Each
S-806-M	7.5' Precast Concrete Wing	4	Each
S-815-A	Loose Riprap, 300 Lb.	114	Ton
S-815-E	Geotextile under Riprap Non-Woven, Type V, AOS < 0.43	288	Sq. Yd.