WASHINGTON COUNTY BOARD OF SUPERVISORS

SECTION 900

Sealed bids will be received by the Board of Supervisors of Washington County, Mississippi at the Washington County Courthouse, Greenville, Mississippi, until 10:00 am on the 4th day of March, 2020 and shortly thereafter publicly opened for the construction of 0.065 miles of BRIDGE REPLACEMENT AND APPROACHES on the BASSI ROAD being known as Project No. ERBR-76(03) in Washington County, Mississippi.

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of WASHINGTON County and the Engineer's office. This project shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

PLANS AND PROPOSALS may be secured from Hooker Engineering Services, Inc., P. O. Box 368, Greenville, MS 38702. The cost is one hundred twenty-five dollars (\$125.00) for plans and proposals, non-refundable.

For this project bids will also be received and accepted via the online electronic bid service through QuestCDN.com. Bidding documents can be downloaded under QuestCDN Project # 6685892 at www.questcdn.com for a non-refundable charge of \$50.00. Contact QuestCDN.com at 956-233-1632 or info@questcdn.com for assistance in free membership, viewing or downloading this digital project information. Online bidding will not be available until three (3) days prior to bid date.

Certified check or bid bond for five percent (5%) of the total bid, made payable to Washington County must accompany each proposal.

Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

Carl McGee, President Washington County Board of Supervisors

Advertise: February 1, 2020 February 8, 2020

For the construction of:	0.065 miles of Bridge F	Replacement and Approaches or	n Bassi Road, W	√ashington (County, MS

I (We) agree to complete the entire project within _____ 180 ____ Working Days

SPECIAL NOTICE TO BIDDERS BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED

					Unit Price	Item Total
Ref. No.	Pay Item No.	Description	Approx. Quantitiy	Unit	Dollars & Cents	Dollars & Cents
Roadw	vay Items					
1	S-200-A	MOBILIZATION	Lump Sum	Lump Sum		
2	S-201-A	CLEARING AND GRUBBING	Lump Sum	Lump Sum		
3	S-202-B	REMOVAL OF STEEL CULVERT (STA. 14+99)	1	Unit		
4	S-203-A	UNCLASSIFIED EXCAVATION (FM)	194	Cu.Yd.		
5	S-203-F	CHANNEL EXCAVATION (FM)	818	Cu.Yd.		
6	S-203-H	EXCESS EXCAVATION (FM)	38	Cu.Yd.		
7	S-304-D	CRUSHED STONE	560	Ton		
8	S-403-A	HOT MIX ASPHALT, 12.5 mm	96	Ton		
9	S-403-A	HOT MIX ASPHALT, 25 mm	166	Ton		
10	S-603-M-C	28" x 20" POLYMERIC COATED CORRUGATED METAL PIPE, 14 GAGE, 2-2/3"x1/2" CORR.	70	Lin.Ft.		
11	S-603-M-C	35" x 24" POLYMERIC COATED CORRUGATED METAL PIPE, 14 GAGE, 2-2/3"x1/2" CORR.	30	Lin.Ft.		
12	S-606-B	GUARD RAIL, "W" BEAM, COMPLETE IN PLACE	43.75	Lin.Ft.		
13	S-606-C	GUARD RAIL, CABLE ANCHOR, TYPE 1	25	Lin.Ft.		

14	S-606-D	GUARD RAIL, BRIDGE END SECTION, TYPE "G". "W" BEAM	4	Each			
15	S-606-E	GUARD RAIL, ROUNDED "W" END SECTION	4	Each			
16	S-617-A	RIGHT-OF-WAY MARKERS (TYPE I)	4	Each			
17	S-618-A	MAINTENANCE OF TRAFFIC	Lump Sum	Lump Sum			
18	S-618-B	ADDITIONAL CONSTRUCTION SIGNS	0	Sq. Ft.			
19	S-621-C	4" WIDE THERMOPLASTIC EDGE STRIPE (CONTINUOUS WHITE)(60 MIL)	0.13	Mile			
20	S-621-E-1	4" WIDE THERMOPLASTIC TRAFFIC STRIPE (CONTINUOUS YELLOW)(90 MIL)	690	Lin.Ft.			
21	S-630-C	REFLECTORIZED TRAFFIC OBJECT MARKER (ENCAPSULATED LENS)(TYPE 3)	4	Each			
					Subtotal Roadway Items:		
Erosion	Control Items						
22	901-S-212-A	AGRICULTURAL LIMESTONE	1.08	Ton			
23	S-212-B	COMMERCIAL FERTILIZER (13 : 13 : 13)	0.54	Ton			
24	S-214-A	SEEDING	0.54	Acre			
25	S-215-A	VEGETATIVE MATERIALS FOR MULCH	1.62	Ton			
26	S-233-A	TEMPORARY SILT FENCE (TYPE II) (AOS 0.15-0.84)	672	Lin.Ft.			
27	907-237-A	WATTLES, 20"	100	Lin.Ft.			
28	S-815-A	LOOSE RIPRAP, 300 LB	38	Ton			

29	S-815-E	GEOTEXTILE UNDER RIPRAP, TYPE V, NON- WOVEN AOS <0.43	67	Sq. Yd.				
	Subtotal Erosion Control Items:							
Bride	Bridge Items							
30	S-803-A	TEST PILE	2	Each				
31	S-803-B	CONVENTIONAL STATIC PILE LOAD TEST	0	Each				
32	S-803-C	14" PRESTRESSED CONCRETE PILING	620	Lin.Ft.				
33	S-803-F	18" PRE-FORMED PILE HOLE	200	Lin.Ft.				
34	S-806-A	19' PRECAST CONCRETE SLAB UNIT, 3.5' INTERIOR	8	Each				
35	S-806-A	19' PRECAST CONCRETE SLAB UNIT, 4.5' INTERIOR	4	Each				
36	S-806-A	31' PRECAST CONCRETE SLAB UNIT, 3.5' INTERIOR	4	Each				
37	S-806-A	31' PRECAST CONCRETE SLAB UNIT, 4.5' INTERIOR	2	Each				
38	S-806-C	19' PRECAST CONCRETE SLAB UNIT, 3.5' EXTERIOR	4	Each				
39	S-806-C	31' PRECAST CONCRETE SLAB UNIT, 3.5' EXTERIOR	2	Each				
40	S-806-G	PRECAST CONCRETE BARRIER RAIL	138	Lin.Ft.				
41	S-806-I	33' PRECAST CONCRETE CAP, INTERMEDIATE UNIT, CONCRETE PILE	2	Each				
42	S-806-J	33' PRECAST CONCRETE CAP, END UNIT, CONCRETE PILE	2	Each				
43	S-806-M	9.25' PRECAST CONCRETE WING	4	Each				

44	S-815-A	LOOSE RIPRAP, 300 LB.	154	Ton		
45	S-815-E	GEOTEXTILE UNDER RIPRAP, TYPE V, AOS 0.21-0.43	309	Sq.Yd.		
	Subtotal Bridge Items:					
Total Bid:						

SECTION 902

PROPOSAL SHEET