## NOTICE OF ADVERTISEMENT

## EMERGENCY ROAD AND BRIDGE REPAIR FUND PROJECT PROJECT NO. ERBR-STPBR-0002(32)B GIFT ROAD ALCORN COUNTY, MISSISSIPPI

NOTICE TO CONTACTORS: Project No. ERBR-STPBR-0002(32)B Alcorn County, MS. The Board of Supervisors of Alcorn County, MS will receive bids for the construction of 0.273 miles of Bridge and Approaches to Replace Bridge No. 15 and Replace Pipes with Two Box Culverts on Gift Road (County Road 750). This project is funded by Mississippi Infrastructure Modernization Act of 2018's Emergency Road & Bridge Repair Fund. Sealed bids or electronic bids will be received until 10:00 AM on the 7th day of June, 2019 and shortly thereafter publicly opened. Sealed bids will be received at the Alcorn County Board of Supervisors Building, 305 S Fulton Drive, Corinth, MS or electronic bids will be received via electronic online bid submission through www.cceplanroom.com. Plans, specifications & contract documents are on file in the Office of the Chancery Clerk of Alcorn County, Mississippi. Plans, specifications & contract documents may be viewed and/or secured from Kenneth P. Geno, Jr., Engineer of Record of Cook Coggin Engineers, Inc., at www.cceplanroom.com upon payment of \$100.00, which is non-refundable. Plans, specifications & contract documents may also be downloaded electronically for an additional \$25 fee by Bidders for electronic bidding purposes only. Questions regarding electronic bidding shall be directed to Plan House Printing at (662) 407-0193. Project information is also available on the website of the Mississippi Office of State Aid Road Construction at www.osarc.ms.gov/bid-calendar-erbf. The award, if made, will be made to the lowest qualified bidder on the basis of qualified quantities. The Board of Supervisors hereby notifies all bidders that it will affirmatively ensure that minority business enterprises will be afforded full opportunity to submit bids and will not be discriminated against on the grounds of race, color, or national origin in consideration of the award. Bids will be accepted only under the name of the Bidder whose name appears on the official list of Planholders maintained by the Engineer of Record. Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

Jimmy Tate Waldon, President Alcorn County Board of Supervisors

Publish: May 8<sup>th</sup> & May 15<sup>th</sup>, 2019

Each bid item unit price shall include sales tax and all other applicable taxes and fees.

## Bidder acknowledges that (1) each Unit Price Bid includes an amount considered by Bidder to be adequate to cover Contractor's overhead and profit for each separately identified item, (2) estimated quantities are not guaranteed and are solely for the purpose of comparison of Bids, and (3) final payment for all Unit Price Bid Items will be based on actual quantities, determined as provided in the Contract Documents.

Write/Type unit prices and bid prices, as clearly as possible, in number format.

| ltem<br>No.                    | Item Description   | Estimated<br>Quantity | Unit | Bid Unit<br>Price | Bid<br>Price |  |  |
|--------------------------------|--|-----------------------|------|-------------------|--------------|--|--|
| ERBR-STPBR-0002(32)B GIFT ROAD |  |                       |      |                   |              |  |  |
| BASE BID ITEMS                 |  |                       |      |                   |              |  |  |
| <u>Roadway I</u>               | <u>tems</u>  |                       |      |                   | <b>F</b>     |  |  |
| S-200-A                        | Mobilization   | 1.00                  | LS   | \$                | \$           |  |  |
| S-201-A                        | Clearing & Grubbing  | 1.00                  | LS   | \$                | \$           |  |  |
| S-202-B                        | Removal of Existing Bridge   | 1.00                  | UN   | \$                | \$           |  |  |
| S-202-E                        | Removal of Pipe (All Sizes)  | 285.00                | LF   | \$                | \$           |  |  |
| S-203-A                        | Unclassified Excavation (FM)   | 1,292.00              | CY   | \$                | \$           |  |  |
| S-203-E-1                      | Borrow Excavation (FME) (Contractor Furn.) (CI.9)                          | 24,488.00             | CY   | \$                | \$           |  |  |
| S-232-A                        | Geotextile Fabric Stabilization (Type V) (AOS <0.43)                       | 5,800.00              | SY   | \$                | \$           |  |  |
| S-304-A                        | Granular Material (Class 5, Group "C")(LVM)(Includes 50% Shrinkage Factor) | 392.00                | CY   | \$                | \$           |  |  |
| S-304-C                        | Crushed Stone Size 3/4" & Down (FM)  | 1,658.00              | CY   | \$                | \$           |  |  |
| S-310-D                        | Mixing, Shaping and Compaction   | 3,601.00              | SY   | \$                | \$           |  |  |
| S-403-A                        | Hot Mix Asphalt, ST, 9.5 mm  | 547.00                | TON  | \$                | \$           |  |  |
| S-408-A                        | Asphalt for Prime Coat (EA-1) or (AE-P)                                    | 1,260.00              | GAL  | \$                | \$           |  |  |
| S-601-A                        | Class "B" Structural Concrete  | 302.61                | CY   | \$                | \$           |  |  |
| S-602-A                        | Reinforcing Steel  | 61,279.00             | LB   | \$                | \$           |  |  |
| S-603-PE                       | 18" Corregated Polyethylene Pipe   | 142.00                | LF   | \$                | \$           |  |  |

| ltem<br>No. | Item Description  | Estimated<br>Quantity | Unit     | Bid Unit<br>Price | Bid<br>Price |
|-------------|---|-----------------------|----------|-------------------|--------------|
| 110.        |   | Quantity              | Unit     | Thee              | 11100        |
| S-606-B     | Guardrail "W" Beam                                      | 425.00                | LF       | \$                | \$           |
|             | Guardrail Bridge End Section, Type I Thrie Beam         |                       |          |                   |              |
| S-606-D     | (Complete)  | 4.00                  | EA       | \$                | \$           |
| S-606-E     | Guardrail, (Terminal End Section)                       | 4.00                  | EA       | \$                | \$           |
| 0-000-L     |   | 4.00                  | LA       | Ψ                 | Ψ            |
| S-607-A     | Roadway Construction Surveying                          | 1.00                  | LS       | \$                | \$           |
|             |   |                       |          |                   |              |
| S-617-A     | Right Of Way Markers, Type II                           | 21.00                 | EA       | \$                | \$           |
| 0.040.4     |   | 4.00                  | 10       | ¢                 | ¢            |
| S-618-A     | Maintenance of Traffic                                  | 1.00                  | LS       | \$                | \$           |
| S-618B      | Additional Construction Signs                           | 0.00                  | SF       | \$ 10.00          | \$ 0.00      |
| 0 0100      | 4" Wide Thermoplastic Edge Stripe (Cont. White) (60     | 0.00                  | 01       | φ 10.00           | ¢ 0.00       |
| S-621-C     | Mils)   | 0.549                 | MI       | \$                | \$           |
|             | 4" Wide Thermoplastic Traffic Stripe (Cont.Yellow) (90  |                       |          |                   |              |
| S-621-E-1   | Mils)   | 2,900.00              | LF       | \$                | \$           |
|             | Two-Way Yellow Reflective High Performance Raised       |                       |          |                   |              |
| S-627-L     | Markers   | 27.00                 | EA       | \$                | \$           |
| S-630-A     | Reflectorized Traffic Warning Sign (Encapsulated Lens)  | 4.00                  | EA       | \$                | \$           |
| 3-030-A     | Reflectorized Traffic Object Marker (Encapsulated Lens) | 4.00                  |          | Ψ                 | Ψ            |
| S-630-C     | Lens) (Type 3)  | 4.00                  | EA       | \$                | \$           |
|             | Reflectorized Traffic Delineator Sign (Encapsulated     |                       |          |                   |              |
| S-630-D     | Lens)   | 24.00                 | EA       | \$                | \$           |
|             |   |                       |          |                   |              |
| Erosion Co  | ontrol Items  |                       |          | 1                 |              |
|             |   |                       |          |                   |              |
| 901-S-212-A | Agricultural Limestone                                  | 8.00                  | TON      | \$                | \$           |
|             |   |                       |          |                   | <b>^</b>     |
| S-212-B     | Commercial Fertilizer (13-13-13)                        | 4.00                  | TON      | \$                | \$           |
| S-212-F     | Ammonium Nitrate  | 1.00                  | TON      | ¢                 | \$           |
| 0-212-1     |   | 1.00                  | TON      | Ψ                 | Ψ            |
| S-214-A     | Seeding   | 4.00                  | AC       | \$                | \$           |
|             | Ŭ   |                       |          |                   |              |
| S-215-A     | Vegetative Materials for Mulch                          | 8.00                  | TON      | \$                | \$           |
|             |   |                       |          |                   |              |
| S-226-A     | Solid Sodding   | 100.00                | SY       | \$                | \$           |
| 0 000 4     |   | 0 400 00              | . –      |                   | <b>^</b>     |
| S-233-A     | Temporary Silt Fence (Type I or II) (AOS 0.15-0.84)     | 2,400.00              | LF       | \$                | \$           |
| 0.045       |   |                       |          |                   |              |
| S-815-A     | Loose Riprap, 200 Lb                                    | 100.00                | TON      | \$                | \$           |
| 0.045 -     |   |                       | <b>.</b> |                   |              |
| S-815-E     | Geotextile Under Riprap, Type V, AOS <0.43              | 185.00                | SY       | \$                | \$           |
| 007 007 4   | Wattles, 20"  |                       | 1 -      | ¢                 | ¢            |
| 907-237-A   | walles, 20  | 260.00                | LF       | \$                | \$           |

| Item<br>No.   | Item Description                           | Estimated<br>Quantity | Unit | Bid Unit<br>Price | Bid<br>Price |  |  |
|---|--|-----------------------|------|-------------------|--------------|--|--|
|   |  |                       |      |                   |              |  |  |
| Bridge Items 31' - 100' - 31' Prestressed Concrete Beam Spans |  |                       |      |                   |              |  |  |
| S-607-B   | Bridge Constuction Surveying               | 1.00                  | LS   | \$                | \$           |  |  |
| S-803-A   | Test Piles                                 | 2.00                  | EA   | \$                | \$           |  |  |
| S-803-B   | Loading Tests                              | 0.00                  | EA   | \$ 4000.00        | \$ 0.00      |  |  |
| S-803-E   | 14" Steel Piling                           | 2,160.00              | LF   | \$                | \$           |  |  |
| S-803-F   | 18" Pre-formed Pile Holes                  | 1,281.00              | LF   | \$                | \$           |  |  |
| S-804-A   | Bridge Concrete, Class "A"                 | 212.80                | CY   | \$                | \$           |  |  |
| 901-S-804-C   | 31' Prestressed Concrete Beam Type I+2     | 307.50                | LF   | \$                | \$           |  |  |
| 901-S-804-C   | 100' Prestressed Concrete Beam Type IV     | 498.75                | LF   | \$                | \$           |  |  |
| S-805-A   | Reinforcement                              | 35,475.00             | LB   | \$                | \$           |  |  |
| S-813-A   | Concrete Railing                           | 324.00                | LF   | \$                | \$           |  |  |
| S-815-A   | Loose Riprap, 200 Lb                       | 166.00                | TON  | \$                | \$           |  |  |
| S-815-E   | Geotextile Under Riprap, Type V, AOS <0.43 | 307.00                | SY   | \$                | \$           |  |  |
|   | \$   |                       |      |                   |              |  |  |