MISSISSIPPI
INFRASTRUCTURE MODERNIZATION ACT OF 2018
EMERGENCY ROAD AND BRIDGE REPAIR FUND PROJECT
and
BOARD OF SUPERVISORS
George County
PROPOSAL AND CONTRACT DOCUMENTS
FOR THE CONSTRUCTION OF
ERBR/STP/BR-0020(29)(B)
Merrill-Salem Road
Being a Section of County Road in O George
County, Mississippi
TYPE OF CONSTRUCTION Bridge & Roadway Abutements
Bridge NO. SA20-0016 Replaced With Bridge NO. SA20-A016
Miles
Net Length 0.245 Miles Contract Time 320 Working Days
By
Gross Length Address
Surety
Note
Standard Specifications for State Aid Road and Bridge Construction currently approved by the Office of State Aid Road Construction and the Federal Highway Administration are made a part hereof fully and completely as if attached hereto, except where superseded by the Special Provisions, or amended by revisions. Rev. 2 - January 11, 2021

GEORGE COUNTY BOARD OF SUPERVISORS EMERGENCY ROAD AND BRIDGE REPAIR FUNDED PROJECT

SECTION 900

NOTICE TO CONTRACTORS:

Sealed bids will be received by the Board of Supervisors of George County, Mississippi at their office located at 329 Ratliff Street, Lucedale, Mississippi, until **10:00 am. (local time)** on **March 15, 2021** and shortly thereafter publicly opened for the construction of a 965 feet prestressed concrete beam/continuous welded steel girder spanned bridge, crossing the Pascagoula River located along the Merrill-Salem Road in George County, Mississippi. Bridge work to consist of construction of: 3 @ 40' prestressed concrete beam spans, 1 @ 645' continuous welded steel plate girder span (185'-275'-185' spans) and 5 @ 40' prestressed concrete beam spans, including four bents of double drilled shaft piers supporting the continuous steel spans and prestress concrete piling for the remaining spans, being known as Project No. ERBR/STP/BR-0020(29)B in George County, Mississippi.

Contractors have the option of submitting their bids sealed in an envelope or electronically. If a sealed envelope bid is submitted by mail, the address of the Chancery Clerk is 355 Cox Street, Lucedale, MS 39452. For electronic bid, documents can be downloaded from Central Bidding. Electronic bids shall be submitted at <u>www.centralbidding.com</u>. For any questions relating to the electronic bidding process, please call Central Bidding at 225-810-4814.

PLANS AND SPECIFICATIONS are on file and may be reviewed in the Office of the Purchase Clerk or online at <u>www.centralbidding.com</u>. This project allows for a Contract Time of <u>320 Working Days</u> and shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

PLANS AND PROPOSALS may be secured online from the reference website or obtained from the office of Batson & Brown, Inc., 11267 Old 63 South, Lucedale, MS 39452 upon payment of \$100.00 (non-refundable) for each set.

The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement; minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

Henry Cochran, President George County Board of Supervisor

Publication dates: February 10, 2021 February 17, 2021

SECTION 902 PROPOSAL PAGE 1

For the construction of: BRIDGE REPLACEMENT AND ROADWAY ABUTEMENTS on .062 mile(s) of county road known as MERRILL-SALEM ROAD in George County, Mississippi under GEORGE COUNTY ERBR/STP/BR-0020(29)B

I (We) agree to complete the entire project within <u>320</u> working days.

Ref. No.	Pay Item No.	Work Description Roadway Items	Approx. Quantity	Unit	Unit Price		Item Total			
					Dollars	Cents	Dollars	Cents		
1	S-200-A	MOBILIZATION	1	LS						
2	S-201-A	CLEARING AND GRUBBING	1	LS						
3	S-203-A	UNCLASSIFIED EXCAVATION (FM)	200	CY						
4	S-203-E	BORROW EXCAVATION (CONTRACTOR FURNISHED) (LVM) (CLASS 7)	17000	CY						
5	S-304-C	CRUSHED STONE (SIZE 610) (LVM)	200	• CY						
6	S-618-A	MAINTENANCE OF TRAFFIC		LS						
7	S-618-B	ADDITIONAL CONSTRUCTION SIGNS	0	SF						
8	S-630-C	REFLECTORIZED TRAFFIC OBJECT MARKER(ENCAPSULATED LENS) TYPE 3	4	EA						
	•			SUB		Y ITEMS=				
					()		•			
		EROSION CONTROL ITEMS								
9	S-211-B	TOPSOIL FOR SLOPE TREATMENT (CONTRACTOR FURNISHED)(LVM)	1600	СҮ						
10	901-S-212-A	AGRICULTURAL LIMESTONE	4	TON	5					
11	S-212-B	COMMERCIAL FERTILIZER (13-13-13)	2	TON	0					
12	S-212-F	AMMONIUM NITRATE	0.5	TON	<i>.............</i>					
13	S-214-A	SEEDING	2	ACRE						
14	S-215-A	VEGETATIVE MATERIALS FOR MULCH	4	TON	5					
15	S-226-A	SOLID SODDING	500	SY						
16	S-227-A	EXCELSIOR BLANKET	500	SY						
17	S-233-A	TEMPORARY SILT FENCE (TYPE I)(AOS 0.15-0.84)	2000	LF						
18	907-237-A	WATTLES, 20"	500	LF						
		SUBTOTAL EROSION CONTROL ITEMS=								

*****SPECIAL NOTICE TO BIDDERS***** BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED

SECTION 902 PROPOSAL

PAGE 2

PROJECT NO. ERBR/STP/BR-0020(29)B GEORGE COUNTY, MISSISSIPPI

SPECIAL NOTICE TO BIDDERS

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED

Ref. No.	Pay Item No.	Work Description BRIDGE ITEMS	Approx. Quantity	Unit	Unit Price		Item Total	
					Dollars	Cents	Dollars	Cents
19	901-S-803-I	PDA TEST PILE	4	EA				
20	S-803-B	CONVENTIONAL STATIC PILE LOAD TEST	2	EA				
21	S-803-C	14" PRESTRESSED CONCRETE PILING	800	LF				
22	S-803-C	16" PRESTRESSED CONCRETE PILING	2005	LF				
23	S-803-F	18" PRE-FORMED PILE HOLE	495	LF				
24	S-803-F	20" PRE-FORMED PILE HOLE	995	LF				
25	901-S-803-J	PILE STRIKE	4	EA				
26	S-803-K	DRILLED SHAFT, 78" DIAMETER	380	LF				
27	S-803-K	DRILLED SHAFT, 90" DIAMETER	440					
28	S803-L	TEST SHAFT 78" DIAMETER	1	EA				
29	S-803-M	TRIAL SHAFT 90" DIAMETER (1)	121	LF				
30	S-803-N	EXPLORATION	80	LE	\frown			
31	S-803-O	TEMPORARY CASING, 78" DIAMETER	80	LE	C			
32	S-803-0	TEMPORARY CASING, 90" DIAMETER	120	LF	0			
33	S-804-A	BRIDGE CONCRETE, CLASS AA	1205.3	СҮ				
34	S-804-C	40' PRESTRESSED CONCRETE BEAM, TYPE 1+2	1587.1	LF				
35	S-805-A	REINFORCEMENT	274,549	LBS				
36	S-810-A	STRUCTURAL STEEL (A 709, GRADE 50)	1,461,977	LBS	00			
37	901-S-810-D	STRUCTURAL STEEL INSPECTION	1	LS	25			
38	901-S-811-D	DISK BEARING DEVICE	16	EA				
39	S-813-A	CONCRETE RAILING	1925	LF				
40	S-815-A	LOOSE RIPRAP, 300 LB.	650	TON				
41	S-815-E	GEOTEXTILE UNDER RIPRAP, TYPE V, A.O.S. 0.21 - 0.43	1392	SY				
					Subtotal	Bridge Items =		
						Total Bid =		