



**OFFICE OF STATE AID ROAD CONSTRUCTION (OSARC)  
AND  
COUNTY BOARD OF SUPERVISORS**

**County** Greene

**Project No.** SAP-21(15)M

**Road Name.** Roads "A" - "M"

**BIDS RECEIVED:** MONDAY, SEPTEMBER 21, 2026 AT 10:00 AM IN THE BOARDROOM AT LEAKESVILLE, MS

**Project Description:** 59.174 miles of MAINTENANCE (OTHER THAN BRIDGE)

| <b>ROADWAY ITEMS:</b>                                                 | <b>QUANTITY</b> | <b>UNIT</b> |
|-----------------------------------------------------------------------|-----------------|-------------|
| Mobilization                                                          | 1.000           | LS          |
| Removal of Headwall                                                   | 2.000           | UN          |
| Removal of Existing Traffic Stripe                                    | 1,220.000       | LF          |
| Removal of Pavement (All Depths)                                      | 943.000         | SY          |
| Removal of Pipe (All Sizes)                                           | 52.000          | LF          |
| Unclassified Excavation (FM)                                          | 3,278.000       | CY          |
| Borrow Excavation (Contractor-Furnished FME, Class 9-8)               | 391.000         | CY          |
| Structure Excavation                                                  | 109.000         | CY          |
| Geogrid, Type III                                                     | 2,140.000       | SY          |
| Crushed Stone (Size 610)                                              | 4,020.000       | TON         |
| Crushed Stone (Size 610)                                              | 907.000         | TON         |
| Crushed Stone (Size 610)                                              | 392.000         | TON         |
| Asphalt, ST, 9.5 mm                                                   | 289.000         | TON         |
| Asphalt, ST, 9.5 mm                                                   | 3,415.000       | TON         |
| Asphalt, ST, 9.5 mm                                                   | 3,871.000       | TON         |
| Asphalt, ST, 9.5 mm                                                   | 2,387.000       | TON         |
| Asphalt, ST, 9.5 mm, Leveling                                         | 1,227.000       | TON         |
| Cold Milling of Bituminous Pavement, All Depths                       | 48,045.000      | SY          |
| Fog Seal Mixture                                                      | 1,795.000       | GAL         |
| Scrub Seal                                                            | 16,318.000      | SY          |
| Class "B" Structural Concrete, Minor Structures                       | 25.142          | CY          |
| Reinforcing Steel                                                     | 818.000         | LB          |
| 30" Reinforced Concrete Pipe, Class III                               | 16.000          | LF          |
| 30" Reinforced Concrete Pipe, End Section                             | 1.000           | EA          |
| 88" x 54" Reinforced Concrete Arch Pipe, Class III                    | 40.000          | LF          |
| Maintenance of Traffic                                                | 1.000           | LS          |
| Additional Construction Signs                                         | 0.000           | SF          |
| 4"-Wide Cold-Plastic Edge Stripe (Continuous White)                   | 0.116           | MI          |
| 4"-Wide Cold-Plastic Traffic Stripe (Continuous Yellow)               | 610.000         | LF          |
| 4"-Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)        | 34.873          | MI          |
| 4"-Wide Thermoplastic Traffic Stripe (Skip Yellow) (90 mils)          | 6.464           | MI          |
| 4"-Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils)    | 139,957.000     | LF          |
| Thermoplastic Detail Stripe (4" Equivalent Length) (White) (60 mils)  | 2,142.000       | LF          |
| Thermoplastic Detail Stripe (4" Equivalent Length) (Yellow) (90 mils) | 440.000         | LF          |

|                                                                            |           |     |
|----------------------------------------------------------------------------|-----------|-----|
| Thermoplastic Legend (White) (120 mils)                                    | 617.000   | LF  |
| Two-Way Yellow Reflective High-Performance Raised Markers                  | 1,592.000 | EA  |
| Reflectorized Traffic Warning Sign (Encapsulated Lens)                     | 109.000   | EA  |
| Reflectorized Traffic Regulatory Sign (Encapsulated Lens)                  | 28.000    | EA  |
| Reflectorized Traffic Object Marker (Encapsulated Lens) (Type 3)           | 24.000    | EA  |
| Reflectorized Traffic Regulatory Sign with Supp. Plate (Encapsulated Lens) | 4.000     | EA  |
| Loose Riprap, 200 lb.                                                      | 40.000    | TON |

**EROSION CONTROL ITEMS:**

|                                                | QUANTITY | UNIT |
|------------------------------------------------|----------|------|
| Agricultural Limestone                         | 1.500    | TON  |
| Commercial Fertilizer (13-13-13)               | 1.000    | TON  |
| Ammonium Nitrate                               | 0.100    | TON  |
| Seeding                                        | 1.000    | AC   |
| Vegetative Materials for Mulch                 | 1.500    | TON  |
| Temporary Silt Fence (Type II) (AOS 0.15-0.84) | 200.000  | LF   |
| Wattles, 20"                                   | 120.000  | LF   |

**ADD OPTION NO. 1 ITEMS:**

|                                                                         | QUANTITY   | UNIT |
|-------------------------------------------------------------------------|------------|------|
| Mobilization                                                            | 1.000      | LS   |
| Maintenance of Traffic                                                  | 1.000      | LS   |
| Additional Construction Signs                                           | 0.000      | SF   |
| 4"-Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)          | 3.841      | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Skip Yellow) (90 mils)            | 0.777      | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils)      | 14,433.000 | LF   |
| Thermoplastic Legend (White) (120 mils)                                 | 202.000    | LF   |
| Two-Way Yellow Reflective High-Performance Raised Markers               | 160.000    | EA   |
| Reflectorized Traffic Warning Sign (Encapsulated Lens)                  | 9.000      | EA   |
| Reflectorized Traffic Regulatory Sign (Encapsulated Lens)               | 6.000      | EA   |
| Reflectorized Traffic Warning Sign with Supp. Plate (Encapsulated Lens) | 2.000      | EA   |

**ADD OPTION NO. 2 ITEMS:**

|                                                                    | QUANTITY    | UNIT |
|--------------------------------------------------------------------|-------------|------|
| Mobilization                                                       | 1.000       | LS   |
| Removal of Existing Traffic Stripe                                 | 2,169.000   | LF   |
| Maintenance of Traffic                                             | 1.000       | LS   |
| Additional Construction Signs                                      | 0.000       | SF   |
| 4"-Wide Cold-Plastic Edge Stripe (Continuous White)                | 0.205       | MI   |
| 4"-Wide Cold-Plastic Traffic Stripe (Continuous Yellow)            | 1,084.000   | LF   |
| 4"-Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)     | 27.233      | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Skip Yellow) (90 mils)       | 6.531       | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils) | 137,958.000 | LF   |
| Thermoplastic Legend (White) (120 mils)                            | 213.000     | LF   |
| Two-Way Yellow Reflective High-Performance Raised Markers          | 1,866.000   | EA   |
| Reflectorized Traffic Warning Sign (Encapsulated Lens)             | 27.000      | EA   |
| Reflectorized Traffic Regulatory Sign (Encapsulated Lens)          | 8.000       | EA   |
| Reflectorized Traffic Object Marker (Encapsulated Lens) (Type 3)   | 26.000      | EA   |

**ADD OPTION NO. 3 ITEMS:**

|                                                                         | QUANTITY   | UNIT |
|-------------------------------------------------------------------------|------------|------|
| Mobilization                                                            | 1.000      | LS   |
| Removal of Existing Traffic Stripe                                      | 731.000    | LF   |
| Maintenance of Traffic                                                  | 1.000      | LS   |
| Additional Construction Signs                                           | 0.000      | SF   |
| 4"-Wide Cold-Plastic Edge Stripe (Continuous White)                     | 0.075      | MI   |
| 4"-Wide Cold-Plastic Traffic Stripe (Skip Yellow)                       | 0.011      | MI   |
| 4"-Wide Cold-Plastic Traffic Stripe (Continuous Yellow)                 | 280.000    | LF   |
| 4"-Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)          | 18.030     | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Skip Yellow) (90 mils)            | 3.018      | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils)      | 77,831.000 | LF   |
| Thermoplastic Legend (White) (120 mils)                                 | 129.000    | LF   |
| Two-Way Yellow Reflective High-Performance Raised Markers               | 800.000    | EA   |
| Reflectorized Traffic Warning Sign (Encapsulated Lens)                  | 22.000     | EA   |
| Reflectorized Traffic Regulatory Sign (Encapsulated Lens)               | 8.000      | EA   |
| Reflectorized Traffic Object Marker (Encapsulated Lens) (Type 3)        | 8.000      | EA   |
| Reflectorized Traffic Warning Sign with Supp. Plate (Encapsulated Lens) | 2.000      | EA   |

**ADD OPTION NO. 4 ITEMS:**

|                                                                    | QUANTITY   | UNIT |
|--------------------------------------------------------------------|------------|------|
| Mobilization                                                       | 1.000      | LS   |
| Maintenance of Traffic                                             | 1.000      | LS   |
| Additional Construction Signs                                      | 0.000      | SF   |
| 4"-Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)     | 7.781      | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Skip Yellow) (90 mils)       | 2.579      | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils) | 24,780.000 | LF   |
| Thermoplastic Legend (White) (120 mils)                            | 16.000     | LF   |
| Two-Way Yellow Reflective High-Performance Raised Markers          | 350.000    | EA   |
| Reflectorized Traffic Warning Sign (Encapsulated Lens)             | 11.000     | EA   |
| Reflectorized Traffic Regulatory Sign (Encapsulated Lens)          | 1.000      | EA   |

**ADD OPTION NO. 5 ITEMS:**

|                                                                    | QUANTITY  | UNIT |
|--------------------------------------------------------------------|-----------|------|
| Mobilization                                                       | 1.000     | LS   |
| Unclassified Excavation (FM)                                       | 444.000   | CY   |
| Crushed Stone (Size 610)                                           | 615.000   | TON  |
| Crushed Stone (Size 610)                                           | 193.000   | TON  |
| Asphalt, ST, 9.5 mm                                                | 2.000     | TON  |
| Asphalt, ST, 9.5 mm                                                | 528.000   | TON  |
| Asphalt, ST, 9.5 mm                                                | 338.000   | TON  |
| Asphalt, ST, 9.5 mm, Leveling                                      | 162.000   | TON  |
| Cold Milling of Bituminous Pavement, All Depths                    | 200.000   | SY   |
| Maintenance of Traffic                                             | 1.000     | LS   |
| Additional Construction Signs                                      | 0.000     | SF   |
| 4"-Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)     | 1.212     | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils) | 6,400.000 | LF   |
| Two-Way Yellow Reflective High-Performance Raised Markers          | 50.000    | EA   |
| Reflectorized Traffic Warning Sign (Encapsulated Lens)             | 1.000     | EA   |
| Reflectorized Traffic Object Marker (Encapsulated Lens) (Type 3)   | 2.000     | EA   |

**ADD OPTION NO. 6 ITEMS:**

|                                                                    | QUANTITY   | UNIT |
|--------------------------------------------------------------------|------------|------|
| Mobilization                                                       | 1.000      | LS   |
| Maintenance of Traffic                                             | 1.000      | LS   |
| Additional Construction Signs                                      | 0.000      | SF   |
| 4"-Wide Thermoplastic Edge Stripe (Continuous White) (60 mils)     | 13.969     | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Skip Yellow) (90 mils)       | 2.663      | MI   |
| 4"-Wide Thermoplastic Traffic Stripe (Continuous Yellow) (90 mils) | 53,016.000 | LF   |
| Thermoplastic Legend (White) (120 mils)                            | 86.000     | LF   |
| Two-Way Yellow Reflective High-Performance Raised Markers          | 620.000    | EA   |
| Reflectorized Traffic Warning Sign (Encapsulated Lens)             | 15.000     | EA   |
| Reflectorized Traffic Regulatory Sign (Encapsulated Lens)          | 4.000      | EA   |
| Reflectorized Traffic Object Marker (Encapsulated Lens) (Type 3)   | 12.000     | EA   |

**ADD OPTION NO. 7 ITEMS:**

|                               | QUANTITY  | UNIT |
|-------------------------------|-----------|------|
| Mobilization                  | 1.000     | LS   |
| Crushed Stone (Size 610)      | 487.000   | TON  |
| Asphalt, ST, 9.5 mm           | 1,274.000 | TON  |
| Maintenance of Traffic        | 1.000     | LS   |
| Additional Construction Signs | 0.000     | SF   |